

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	239	((nozzle) with (volt or voltage)) and (((change or changes or control or adjust or adjustment or adjusting or changing or changed or controlling or controlled or adjusted) with (volt or voltage)) same ((number or amount or quantity or speed or direction) adj2 (nozzle or head or manifold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	L2	3	(("5936644") or ("2002167560") or ("6503116") or ("6839312")).PN.	US-PGPUB; USPAT
3	IS&R	L3	4	(("5936644") or ("20020167560") or ("6503116") or ("6839312")).PN.	US-PGPUB; USPAT
4	BRS	L4	274	((nozzle) with (volt or voltage)) and (((change or changes or control or adjust or adjustment or adjusting or changing or changed or controlling or controlled or adjusted or adjustable or vary or varied or variable or varying or variation or varies) with (volt or voltage)) same ((number or amount or quantity or speed or direction) adj2 (nozzle or head or manifold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2005/12/02 21:32			
2	2005/12/02 20:40			
3	2005/12/02 20:40			
4	2005/12/02 21:33			

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	265	4 and ((nozzle) with (change or changes or control or adjust or adjustment or adjusting or changing or changed or controlling or controlled or adjusted or adjustable or vary or varied or variable or varying or variation or varies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	37	4 and (panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
5	2005/12/02 22:05			
6	2005/12/02 22:05			